

Vanderburgh Food EH

Media Report--Krista
Media Reports
11/13/2025
10:40:46 AM

[(Inspection) Inspection Date between '10/26/2025 and 11/01/2025' AND (Facility) Facility Type = 'Restaurant']

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
Takeout Express	4827 Davis Lant Drive Ste F	C	Observed employees not storing personal drinks in designated area safe from cross contamination.	
Takeout Express	4827 Davis Lant Drive Ste F	Pf	Observed establishment does not provide testing strips for sanitizer solution.	
Takeout Express	4827 Davis Lant Drive Ste F	Pf	Observed spray bottles in restaurant not labeled with contents.	
Clarion Pointe	19600 Elpers Rd.	C	Observed establishment not wrapping apples for resale.	
Clarion Pointe	19600 Elpers Rd.	C	Observed floor in kitchen area in need of repair cracked and missing tiles.	
Clarion Pointe	19600 Elpers Rd.	Pf	Observed establishment does not provide testing strips for sanitizer solution.	
Clarion Pointe	19600 Elpers Rd.	Pf	Observed handwashing sink in kitchen area not supplied with hand drying machine or disposable towels.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
Denny's #6827	351 N Green River Rd	Pf	Observed handwashing sinks in kitchen used for other things other than handwashing.	
Denny's #6827	351 N Green River Rd	C	Observed back door to establishment in need or repair area open to the elements.	
Hardees 1503665	2315 W Illinois St	non-critical	Observed floors in kitchen and dining room to be soiled.	
Hardees 1503665	2315 W Illinois St	Pf	Observed sanitizing solution for wiping cloths below the required level.	
Hardees 1503665	2315 W Illinois St	C	Observed drive through drink station to be soiled.	
McDonalds-Washington	1148 Washington Ave.	C	Observed drink nozzles on kitchen drink station to be soiled.	
Penn Station East Coast Subs	4827 Davis Lant Dr	Pf	Observed establishment does not have a certified food handle.	
Penn Station East Coast Subs	4827 Davis Lant Dr	Pf	Observed shelving in coolers in need of repair rusty and chipped paint.	
Penn Station East Coast Subs	4827 Davis Lant Dr	Pf	Observed establishment does not provide testing strips for sanitizer solution.	
Quality Inn Mahadev	19622 Elpers Rd.	P	Observed apples not properly wrapped for resale.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
Quality Inn Mahadev	19622 Elpers Rd.	Pf	Observed handwashing sink in kitchen in need of repair not able to engage hot water.	
Schnucks #728	3501 N Green River Rd	C	Observed employees in deli and bakery not wear proper hair restraints.	
Schnucks #728	3501 N Green River Rd	P	Observed plumbing in deli area in need of repair leaking pipes.	
Schnucks #728	3501 N Green River Rd	C	Observed back doors in loading area in back of establishment in need of repair open areas to the elements.	
SUNRISE CAFE FAMILY RESTAURANT	2121 N GREEN RIVER ROAD suit A	C	Observed employee not storing personal drinks in designated area.	
SUNRISE CAFE FAMILY RESTAURANT	2121 N GREEN RIVER ROAD suit A	Pf	Observed establishment does not have testing strips for measuring sanitizer solution levels.	
The Diner by Meles	550 N Green River Rd	Pf	Observed dishwasher in need of repair not dispensing sanitizer solution. 3 compartment sink set up for sanitizing dishes.	
Walmart Market #5452	2500 N First Ave	Pf	Measured meat display at 52 degrees.	

(Facility) Facility Name	(Facility) Address	Violation Type	Observation	Comments
Wing Stop	499 N. Green River Rd. Ste. B	Pf	Observed water to handwashing sinks in establishment not reaching 85 degrees temping at 70 degrees.	
Wing Stop	499 N. Green River Rd. Ste. B	C	Observed areas in back door to the establishment has areas open to the elements.	

Application Use and Disclaimer

GIS/Mapping Disclaimer